

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"668549".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:03
L2	2472	707/5.ccls.\	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:03
L3	2472	707/5.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:03
L4	5	"10269248" "2002140364"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:22
L5	6	(two?pass single?pass) near3 quer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:25
L6	1728	(auxiliar\$3 miss\$3) WITH quer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:26
L7	34	((auxiliar\$3 miss\$3) WITH quer\$3) SAME ((re?writ\$3 rewrit\$3 refinement refin\$5) WITH (quer\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:29
L8	4	7 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:27

EAST Search History

L9	24	(requery\$3 OR re?requery\$) and database and internet and (auxiliary OR secondary OR backup OR supplement\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:28
L10	37	((auxiliar\$3 miss\$3) WITH quer\$3) SAME ((re?writ\$3 rewrit\$3 refinement refin\$5 append\$3) WITH (quer\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:53
L11	4	10 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:53
L12	14	(analyz\$3 same attribut\$3) and (rewrit\$5 near2 query)	USPAT	OR	ON	2007/07/30 15:55
L13	66	(analyz\$3 same attribut\$3) and ((refin\$6 append\$3 re?writ\$5 rewrit\$5) near3 quer\$3)	USPAT	OR	ON	2007/07/30 15:56
L15	4	13 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:56
L16	32972	((rewrit\$4 append\$3 add\$3 refin\$3) same (quer\$3 search\$3 sort\$3 cluster\$3) same (result))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:57
L17	777	16 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:57
L18	56	17 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:06

EAST Search History

L19	1	7 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:07
L20	0	18 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:07
L21	0	12 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:07
L22	1	5 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:07

Web Images Video News Maps Gmail more ▾

Sign in

Google

(two-pass) query Advanced Search
Preferences
New! View and manage your web history

Web

Results 1 - 10 of about 72,100 for **(two-pass) query**. (0.17 seconds)

Database Query Processing Using Finite Cursor Machines, from ...

The model describes quite faithfully what happens in so-called "One-pass" and "Two-pass query processing". Technically, the model is described in the ...

whitepapers.techrepublic.com.com/whitepaper.aspx?docid=297404 - 31k -

Cached - [Similar pages](#)

[PS] AT&T at TREC-9

File Format: Adobe PostScript - [View as Text](#)

Here locality is implemented as a window of **query** length (in bytes) + 50 bytes. att0010gbe.

: This run is our **two pass query** expansion run. ...

trec.nist.gov/pubs/trec9/papers/att-trec9.ps - [Similar pages](#)

[PDF] Database Query Processing Using Finite Cursor Machines

File Format: PDF/Adobe Acrobat - [View as HTML](#)

"one-pass" and "two-pass query processing". Technically, the model is. described in the framework of abstract state machines. Our main results ...

www2.informatik.hu-berlin.de/~grohe/pub/gglstv07.pdf - [Similar pages](#)

Methods and apparatus for **query** rewrite with auxiliary attributes ...

Apparatus for rewriting a **query** during a database **query** processing absent from the original **query**; (ii) may employ a **two-pass query** processing ...

www.freepatentsonline.com/20050065914.html - 36k - Cached - [Similar pages](#)

EMUG'05: Fusion Similarity Searching in Daycart

A tanimoto() search with a **query** containing a comma-separated list of SMILES ... can then be fed into the new "Best similarity" search in a **two-pass query**. ...

www.daylight.com/meetings/emug05/Delany/fusion.html - 12k - Cached - [Similar pages](#)

[PDF] Academic Affairs - Course Proposal Form

File Format: PDF/Adobe Acrobat - [View as HTML](#)

1) thoroughly understand **query** execution algebra and algebraic laws for improving **query**

plan,. 2) thoroughly understand one-pass and **two-pass query** ...

www.csus.edu/acaf/PDF_Files/List%207%20Courses/List%207%20Form%20A%20-%
20ECS%20-%20CSC%20244.pdf - [Similar pages](#)

[PDF] 2PXMIner - An Efficient Two Pass Mining of Frequent XML Query Patterns

File Format: PDF/Adobe Acrobat

We have developed a **two pass** algorithm called 2PXMIner. to find frequent XML **query** patterns. Since the search space. is exponential to the size of the **query** ...

portal.acm.org/ft_gateway.cfm?id=1014148&type=pdf - [Similar pages](#)

[PDF] LNCS 3115 - Faster Exact Histogram Intersection on Large Data ...

File Format: PDF/Adobe Acrobat

Decomposed Data (i.e. column vectors) in order to choose what parts of the **query**. to evaluate as part of a **two-pass query** process. ...

www.springerlink.com/index/5MNTQBGT2FV4B5QK.pdf - [Similar pages](#)

[PDF] OGSA-WebDB: An OGSA-Based System for Bringing Web Databases into ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Two-pass query execution:.. Mediator: conditions supported by web databases included in.

conditions supported by web databases included in ...
projects.gtrc.aist.go.jp/mirza/itcc04.pdf - [Similar pages](#)

Massachusetts Institute of Technology

Two pass query: [Landuse] = 'Commercial' first, then, add to selection [Landuse] = 'Industrial'. Fun with Selections. By default, processing operations ...
web.mit.edu/11.520/www/lectures/lecture4.html - 70k - [Cached](#) - [Similar pages](#)

1 2 3 4 5 6 7 8 9 [10](#) [Next](#)

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

Google

Advanced Search
Preferences

The "AND" operator is unnecessary -- we include all search terms by default.

Web Results 1 - 10 of about 313 for **(two-pass) query and ((auxiliary attributes OR missing attributes) for (rewr...**

Methods and apparatus for query rewrite with auxiliary attributes ...

Methods and apparatus are provided for rewriting queries during a database query processing operation to include auxiliary attributes not included in the ...
www.freepatentsonline.com/20050065914.html - 36k - [Cached](#) - [Similar pages](#)

Patents in Class 707/2

2272, US5430870, Saving and restoring traversal state attributes of a directed acyclic ...
 2290, US5301317, System for adapting query optimization effort to ...
www.freepatentsonline.com/CCL-707-2-p46.html - 44k - [Cached](#) - [Similar pages](#)
 [[More results from www.freepatentsonline.com](#)]

[PDF] Dynamic Sample Selection for Approximate Query Processing

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 In small group sampling, the sample. tuples that are used for a query Q are determined by the. grouping attributes from Q. We focus on small group sam- ...
acm.org/sigmod/sigmod03/eproceedings/papers/r20p01.pdf - [Similar pages](#)

[PDF] 9286-Schiller-03 41..80

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 auxiliary secondary index is used to support the Find(), get-a-Successor(), attributes.
 Attribute queries are well supported by the query-processing ...
www-users.cs.umn.edu/~shekhar/research/lbsChapter.pdf - [Similar pages](#)

Exploiting Punctuation Semantics in Continuous Data Streams

Pass Invariants for Traditional Query Operators. Two pass invariants require ... function modifies tuples from one join input, appending attributes from the ...
doi.ieeecomputersociety.org/10.1109/TKDE.2003.1198390 - [Similar pages](#)

[PDF] Analyzing Goal Semantics for Rights, Permissions, and Obligations

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 represented in the model and missing from the query. Query subsumption is a powerful
 multiple attributes or adjectives describing a particular. entity. ...
[ftp://ftp.ncsu.edu/pub/unity/lockers/ftp/csc_anon/tech/2005/TR-2005-08.pdf](http://ftp.ncsu.edu/pub/unity/lockers/ftp/csc_anon/tech/2005/TR-2005-08.pdf) - [Similar pages](#)

[PDF] BMRT: A Global Illumination Implementation of the RenderMan Standard

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 Individual RenderMan calls either (1) set the options, attributes, Interface to query geometry for its average color, nor is there a ...
www.siggraph.org/education/materials/HyperGraph/radiosity/jgt96.pdf - [Similar pages](#)

Abstracting Application-Level Web Security

Unfortunately constructing the query naively leads to a vulnerability where The attributes of a parameter element with name=p place constraints on data ...
www2002.org/CDROM/refereed/48/ - 87k - [Cached](#) - [Similar pages](#)

Method and apparatus for extending a relational database ...

The method comprises the steps of receiving a database query comprising a and binds attributes and UDF invocations to object-relational tables and ...

www.patentstorm.us/patents/5873083-description.html - 79k - [Cached](#) - [Similar pages](#)

BMRT Documentation

Several implementation-specific options and **attributes** alter the way in which The

renderer is smart enough to **query** shaders for their "Kd" values, ...

www.cs.berkeley.edu/~ug/slide/pipeline/assignments/as9/bmrt/rendribdocs.html - 45k - [Cached](#) - [Similar pages](#)

1 [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Download [Google Pack](#): free essential software for your PC

[\(two-pass\) query and \(\(auxiliary attri](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

Google

(two-pass) query with (target attributes) and (a) Advanced Search Preferences

The "AND" operator is unnecessary -- we include an AND search message for full details

Web Results 1 - 10 of about 150 for **(two-pass) query with (target attributes) and (auxiliary attributes) for re**

Methods and apparatus for query rewrite with auxiliary attributes ...

Apparatus for **rewriting a query** during a database **query** processing operation, comprising: a memory; Both **target** and **auxiliary attributes** are examined. ...
www.freepatentsonline.com/20050065914.html - 36k - Cached - [Similar pages](#)

[PDF] QUERY PROCESSING WITH GUARANTEES IN QUERY-CENTRIC NETWORKS

File Format: PDF/Adobe Acrobat
 contribute its **attribute** value to the final **query** result v. The queen host attempts to unnest subqueries by **rewriting** them as equi-joins. Such ...
infolab.stanford.edu/~bawa/dissertation/bawa-qpde-05.pdf - [Similar pages](#)

[PDF] Metamodelling for MDA

File Format: PDF/Adobe Acrobat
attributes are visible on more than one inheritance path (C++ virtual base classes) a. **two-pass** algorithm will be required, first to establish the diamond ...
www.cs.york.ac.uk/metamodel4mda/onlineProceedingsFinal.pdf - [Similar pages](#)

[PDF] Engineering Object-Oriented Semantics Using Graph Transformations

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 respectively **attribute**, with that name in that class. Where defined, Ass yield a triple of multiplicity, ordering indication and **target** class of the ...
www.ub.utwente.nl/webdocs/ctit/1/00000166.pdf - [Similar pages](#)

Data processing: database and file management or data structures ...

A method of managing data that is given an update prohibitive **attribute** includes a and **rewriting** the **query** by producing a sequence of outer Cartesian ...
www.freshpatents.com/Data-processing--database-and-file-management-or-data-structures-dt200604ntc707.php - 252k - Cached - [Similar pages](#)

[PDF] Foundations of XML Processing

File Format: PDF/Adobe Acrobat
 whereas the above-suggested **rewriting** yields the following. ((a[],b[])? XML **attributes** and shuffle expressions. **Attributes** are **auxiliary** data that are ...
arbre.is.s.u-tokyo.ac.jp/~hahosoya/xmlbook/xmlbook.pdf - [Similar pages](#)

[PDF] Modelling and Operational Issues for Pattern Base Management ...

File Format: PDF/Adobe Acrobat
 data set with specified **attribute** names, we need to employ **auxiliary** names for retrieving and **rewriting** them to the secondary storage several times, ...
www.dblab.ece.ntua.gr/pubs/uploads/PHD-2007-1.pdf - [Similar pages](#)

[PDF] Proceedings of VLDB Workshop on Information Integration on the Web ...

File Format: PDF/Adobe Acrobat
 and their **attributes**? This task is to extract the **query** capa- answers only the **query** **rewriting** technique [1], denoted ...
cips.eas.asu.edu/iiwebfinalproceedings/Proceedings-IIWeb-04.pdf - [Similar pages](#)

[PDF] Realization of Natural-Language Interfaces Using Lazy Functional ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

executable **attribute** grammar was used to implement a natural-language database-**query** processor based on a set-theoretic version of Montague semantics, ...
davinci.newcs.uwindsor.ca/richard/cs510/EXAMPLE_LATEX_FILES/FINAL_PAPER.pdf - [Similar pages](#)

[PDF] [Dynamic Point Samples as Primitives for Free-Viewpoint Video](#)

File Format: PDF/Adobe Acrobat

of surface normal vectors and splat sizes is required, these **attributes** can be encoded. using two of the three optional **auxiliary** images. ...

[ftp://ftp.inf.ethz.ch/pub/publications/diss/th15643.pdf](http://ftp.inf.ethz.ch/pub/publications/diss/th15643.pdf) - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Try [Google Desktop](#): search your computer as easily as you search the web.

[\(two-pass\) query with \(target attribut](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

Google

The "AND" operator is unnecessary -- we include it in our search demands by default.

Web Results 1 - 10 of about 149 for **(two-pass) query with query result with ((target attributes) and (auxiliary attributes))**

Methods and apparatus for query rewrite with auxiliary attributes ...

Second, data **attributes** from the **query results** are analyzed. statistics from **query results**. Both **target** and **auxiliary attributes** are examined. ...
www.freepatentsonline.com/20050065914.html - 36k - Cached - [Similar pages](#)

Data processing: database and file management or data structures ...

A method of managing data that is given an update prohibitive **attribute** A refined **query** is selected from the **results** of the first user **query**. ...
www.freshpatents.com/Data-processing--database-and-file-management-or-data-structures-dt200604ntc707.php - 252k - Cached - [Similar pages](#)

[PDF] QUERY PROCESSING WITH GUARANTEES IN QUERY-CENTRIC NETWORKS

File Format: PDF/Adobe Acrobat
 contribute its **attribute** value to the final **query result** v. The queen host attempts to unnest subqueries by **rewriting** them as equi-joins. Such ...
infolab.stanford.edu/~bawa/dissertation/bawa-qpde-05.pdf - [Similar pages](#)

[PDF] Metamodelling for MDA

File Format: PDF/Adobe Acrobat
 A further example of a **query** over a UML model might be: Does a. particular **attribute** in the source have public visibility? The **result** would be a Boolean ...
www.cs.york.ac.uk/metamodel4mda/onlineProceedingsFinal.pdf - [Similar pages](#)

[PDF] Realization of Natural-Language Interfaces Using Lazy Functional ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 executable **attribute** grammar was used to implement a natural-language database- **query** processor based on a set-theoretic version of Montague semantics, ...
davinci.newcs.uwindsor.ca/richard/cs510/EXAMPLE_LATEX_FILES/FINAL_PAPER.pdf - [Similar pages](#)

[PDF] Realization of Natural Language Interfaces Using Lazy Functional ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 (2) executable **attribute-grammar** environments which can be used to build natural. language database-**query** processors as executable specifications; ...
cs.uwindsor.ca/~richard/PUBLICATIONS/NLI_LFP_SURVEY_DRAFT.pdf - [Similar pages](#)

[PDF] Oracle9i Database New Features

File Format: PDF/Adobe Acrobat
 elements, search **attribute** values, XPath **query** syntax, new **two-pass** recovery algorithm that ensures that only the blocks that need to be ...
www.lc.leidenuniv.nl/awcourse/oracle/server.920/a96531.pdf - [Similar pages](#)

[PS] The MORALE Guidebook to the Evolutionary Design of Complex Software

File Format: Adobe PostScript - [View as Text](#)
 The point, of course, is that **quality attributes** do not exist in The WAIS client provides the user interface as a **Query Panel** that is used to ...
www-static.cc.gatech.edu/morale/local/guidebooks/morale.ps - [Similar pages](#)

[\[PDF\] Modelling and Operational Issues for Pattern Base Management ...](#)

File Format: PDF/Adobe Acrobat

retrieving and ~~rewriting~~ them to the secondary storage several times, as we further

Efficient Storage and ~~Query~~ Processing of. Set-Valued Attributes. ...

www.dblab.ece.ntua.gr/pubs/uploads/PHD-2007-1.pdf - [Similar pages](#)

[\[PDF\] Oracle9i Database New Features](#)

File Format: PDF/Adobe Acrobat

your document during updates, without ~~rewriting~~ the entire document. XML elements,

search ~~attribute~~ values, XPath ~~query~~ syntax, and other advanced ...

download-west.oracle.com/docs/cd/B10501_01/server.920/a96531.pdf - [Similar pages](#)

1 [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Download [Google Pack](#): free essential software for your PC

[\(two-pass\) query with query result w](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)